

June 19, 2018

Mr. Jim West  
President  
202 Deen St  
Nacogdoches TX 75965-7257

Subject: East Texas Regional Water Planning Area  
Water Supply Availability and Water Management Strategies

Dear Mr. West,

The Water User Group (WUG) Appleby WSC is located in Nacogdoches County within the water planning region known as the East Texas Regional Water Planning Area (ETRWPA, or Region I). The East Texas Regional Water Planning Group (ETRWPG) is in the process of updating the regional water plan for the ETRWPA to be adopted in 2021 Plan. For information about the ETRWPG or to see the schedule of upcoming meetings, please visit [www.ETEXwaterplan.org](http://www.ETEXwaterplan.org).

For your consideration, please review the following tables, which summarize municipal water demand (Table 1) and sources (Table 2) for Appleby WSC.

**Table 1 – 2021 Appleby WSC Water Demand Projections by Decade**

Projection Type	2020	2030	2040	2050	2060	2070
Municipal Demands (af/yr) <sup>1</sup>	658	722	787	862	946	1,035

**Table 2 –2016 Regional Water Plan Water Sources for Appleby WSC**

Water Source (af/yr) <sup>1</sup>	Source Type	2020	2030	2040	2050	2060	2070
Gulf Coast Aquifer (Neches)	Groundwater	873	873	874	874	876	965
Lake Nacogdoches	Surface Water	67	67	66	66	65	65
Total Supplies		940	940	940	940	941	1,030
Balance (Supplies – Demands) <sup>2</sup>		282	218	153	78	-5	-5

*1 – Water Demands and Supplies are expressed in acre-feet per year (1 acre-feet per year = 893 gallons per day)*

*2 – A positive balance indicates that surplus supplies are available. A negative balance indicates a lack of supply availability to meet future needs. A future need is met by means of Water Management Strategies identified during the Regional Water Planning Process, if applicable.*

- Do your current water sources match with the sources in Table 2? Do you agree with the supply availability from the water sources?
- Do you have any additional water supply projects you would like to add to the 2021 Plan?
- Do you have a water plan developed or updated since January 2015? Do you have a water conservation plan or a drought contingency plan updated since December 2015?

If you do not agree with the information above, or would like additional information about this request, we want to hear from you as soon as possible. Please see contact information below.

The ETRWPG will be considering these projections at its August 15, 2018 meeting. If we do not hear otherwise from you, the draft projections and water source information will be accepted for purposes of the regional water plan update to be adopted in 2021.


Your ETRWPG consultant team representative is:

Rex Hunt  
rhunt@apaienv.com  
Phone: 512-452-5905  
Fax: 512-452-2325

Alan Plummer Associates, Inc.  
6300 La Calma Drive, Suite 400  
Austin, Texas 78752-3825

The ETRWPG will provide ongoing updates of the regional water planning process in this cycle. In the meantime, please send any comments or questions to your ETRWPG consultant team representative. Thank you for taking time to review this information.

Yours very truly,

  
Spandana Tummuri,  
Freese and Nichols, Inc.

cc: Mr. Kelley Holcomb, Chair, East Texas Regional Water Planning Group  
Rex Hunt, Alan Plummer Associates, Inc.