

SOUTH SABINE WSC
807 FAIRDALE ROAD
HEMPHILL, TEXAS 75948
(409)579-4185
JANUARY 1, 2019

After review by the Board Members and Staff of the Drought Contingency Plan an amendment was made to Page 10 stage 3 – Response under supply management measures


and connect to the Beechwood system which obtains its water from Toledo Bend Reservoir. This will be conducted provided the water is available.

This is no longer an option we removed this statement from the Plan.

We have not had to enforce this plan.

Manager





Customer
Drought Contingency Plan
South Sabine WSC
January 1, 2019

**DROUGHT CONTINGENCY PLAN
FOR THE
South Sabine WSC
July 28, 2008**

Section I: Declaration of Policy, Purpose, and Intent

In order to conserve the available water supply and protect the integrity of water supply facilities, with particular regard for domestic water use, sanitation, and fire protection, and to protect and preserve public health, welfare, and safety and minimize the adverse impacts of water supply shortage or other water supply emergency conditions, the South Sabine WSC hereby adopts the following regulations and restrictions on the delivery and consumption of water.

Water uses regulated or prohibited under this Drought Contingency Plan (the Plan) are considered to be non-essential and continuation of such uses during times of water shortage or other emergency water supply condition are deemed to constitute a waste of water which subjects the offender(s) to penalties as defined in Section XI of this Plan.

Section II: Public Involvement

Opportunity for the public to provide input into the preparation of the Plan was provided by the South Sabine WSC by means of a public meeting.

Section III: Public Education

The South Sabine WSC will periodically provide the public with information about the Plan, including information about the conditions under which each stage of the Plan is to be initiated or terminated and the drought response measures to be implemented in each stage. This information will be provided by means of public events and press releases as well as notes on the bills.

Section IV: Coordination with Regional Water Planning Groups

The service area of the South Sabine WSC is located within the East Texas Regional Planning Area, Region I and South Sabine WSC has provided a copy of this Plan to the East Texas Regional Planning Group for Region I.

Section V: Authorization

The President of the South Sabine WSC or his/her designee is hereby authorized and directed to implement the applicable provisions of this Plan upon determination that such implementation is necessary to protect public health, safety, and welfare. The President of the South Sabine WSC or his/her designee, shall have the authority to initiate or terminate drought or other water supply emergency response measures as described in this Plan.

Section VI: Application

The provisions of this Plan shall apply to all persons, customers, and property utilizing water provided by the South Sabine WSC. The terms “person” and “customer” as used in the Plan include individuals, corporations, partnerships, associations, and all other legal entities.

Section VII: Definitions

For the purposes of this Plan, the following definitions shall apply:

Aesthetic water use: water use for ornamental or decorative purposes such as fountains, reflecting pools, and water gardens.

Commercial and institutional water use: water use which is integral to the operations of commercial and non-profit establishments and governmental entities such as retail establishments, hotels and motels, restaurants, and office buildings.

Conservation: those practices, techniques, and technologies that reduce the consumption of water, reduce the loss or waste of water, improve the efficiency in the use of water or increase the recycling and reuse of water so that a supply is conserved and made available for future or alternative uses.

Customer: any person, company, or organization using water supplied by South Sabine WSC

Domestic water use: water use for personal needs or for household or sanitary purposes such as drinking, bathing, heating, cooking, sanitation, or for cleaning a residence, business, industry, or institution.

Even number address: street addresses, box numbers, or rural postal route numbers ending in 0, 2, 4, 6, or 8 and locations without addresses.

Industrial water use: the use of water in processes designed to convert materials of lower value into forms having greater usability and value.

Landscape irrigation use: water used for the irrigation and maintenance of landscaped areas, whether publicly or privately owned, including residential and commercial lawns, gardens, golf courses, parks, and rights-of-way and medians.

Non-essential water use: water uses that are not essential nor required for the protection of public health, safety, and welfare, including:

- a) irrigation of landscape areas, including parks, athletic fields, and golf courses, except otherwise provided under this Plan;
- b) use of water to wash any motor vehicle, motorbike, boat, trailer, airplane or other vehicle;

- c) use of water to wash down any sidewalks, walkways, driveways, parking lots, tennis courts, or other hard-surfaced areas;
- d) use of water to wash down buildings or structures for purposes other than immediate fire protection;
- e) flushing gutters or permitting water to run or accumulate in any gutter or street;
- f) use of water to fill, refill, or add to any indoor or outdoor swimming pools or jacuzzi-type pools;
- g) use of water in a fountain or pond for aesthetic or scenic purposes except where necessary to support aquatic life;
- h) failure to repair a controllable leak(s) within a reasonable period after having been given notice directing the repair of such leak(s); and
- i) use of water from hydrants for construction purposes or any other purposes other than fire fighting.

Odd numbered address: street addresses, box numbers, or rural postal route numbers ending in 1, 3, 5, 7, or 9.

Other emergency water supply condition: Hurricane or storm conditions or power failures which limit the production of water.

Section VIII: Criteria for Initiation and Termination of Drought Response Stages

The President of the South Sabine WSC Board or his/her designee shall monitor water supply and demand conditions on a daily basis and shall determine when conditions warrant initiation or termination of each stage of the Plan, that is, when the specified “triggers” are reached.

The triggering criteria described below are based on known system capacity limits.

Stage 1 Triggers -- MILD Water Shortage Conditions

Requirements for initiation

Customers shall be requested to voluntarily conserve water and adhere to the prescribed restrictions on certain water uses, defined in Section VII – Definitions, when the static level in well number 2 reaches 240 ft or when pump run time equals or exceeds 18 hours per weekday for three consecutive days or 20 hours for one weekday.

Requirements for termination

Stage 1 of the Plan may be rescinded when all of the conditions listed as triggering events have ceased to exist for a period of 3 consecutive days.

Stage 2 Triggers -- MODERATE Water Shortage Conditions

Requirements for initiation

Customers shall be required to comply with the requirements and restrictions on certain non-essential water uses provided in Section IX of this Plan when the static level in well 2 reaches 225 ft or pump run time exceeds 20 hours per day for three consecutive weekdays or 22 hours for one weekday.

Requirements for termination

Stage 2 of the Plan may be rescinded when all of the conditions listed as triggering events have ceased to exist for a period of 3 consecutive days. Upon termination of Stage 2, Stage 1 becomes operative.

Stage 3 Triggers -- SEVERE Water Shortage Conditions

Requirements for initiation

Customers shall be required to comply with the requirements and restrictions on certain non-essential water uses for Stage 3 of this Plan when the static level in well 2 reaches 215 ft or pump run times exceed 22 hours per day for three consecutive weekdays or 23 hours for one weekday.

Requirements for termination

Stage 3 of the Plan may be rescinded when all of the conditions listed as triggering events have ceased to exist for a period of 3 consecutive days. Upon termination of Stage 3, Stage 2 becomes operative.

Stage 4 Triggers -- CRITICAL Water Shortage Conditions

Requirements for initiation

Customers shall be required to comply with the requirements and restrictions on certain non-essential water uses for Stage 4 of this Plan when the static level in well 2 reaches 205ft or pump run times equal 23 hours per day for three consecutive weekdays or 24 hours for one weekday.

Requirements for termination

Stage 4 of the Plan may be rescinded when all of the conditions listed as triggering events have ceased to exist for a period of 3 consecutive days. Upon termination of Stage 4, Stage 3 becomes operative.

Stage 5 Triggers -- EMERGENCY Water Shortage Conditions

Requirements for initiation

Customers shall be required to comply with the requirements and restrictions for Stage 5 of this Plan when the President of the board of the South Sabine WSC or his/her designee, determines that a water supply emergency exists based on:

- a) Major water line breaks, or pump or system failures occur, which cause unprecedented loss of capability to provide water service; **or**
- b) Natural or man-made contamination of the water supply source(s).
- c) Natural events such as hurricanes, tornado, ice storms, etc. cause an interruption in SSWSC's ability to provide water.

Requirements for termination

Stage 5 of the Plan may be rescinded when all of the conditions listed as triggering events have ceased to exist for a period of 3 consecutive days.

Stage 6 Triggers -- WATER ALLOCATION

Requirements for initiation

Customers shall be required to comply with the water allocation plan prescribed in Section IX of this Plan and comply with the requirements and restrictions for Stage 5 of this Plan when the static level in well 2 reaches 195 ft or pump run time equals 24 hours per day for three consecutive weekdays.

Requirements for termination – Water allocation may be rescinded when all of the conditions listed as triggering events have ceased to exist for a period of 3 consecutive days.

Section IX: Drought Response Stages

The President of the board of the South Sabine WSC or his/her designee, shall monitor water supply and demand conditions on a daily basis and, in accordance with the triggering criteria set forth in Section VIII of this Plan, shall determine that a mild, moderate, severe, critical, emergency or water shortage condition exists and shall implement the following notification procedures:

Notification

Notification of the Public:

The President of the Board of the South Sabine WSC or his/ here designee shall notify the public by means of:

Publication in a newspaper of general circulation

South Sabine WSC 807 Fairdale Rd. Hemphill, TX 75948 409-579-4185

Public Service announcements
Signs in public places
Roadside signs or flags

Additional Notification:

The President of the Board of the South Sabine WSC or his/ her designee shall notify directly, or cause to be notified directly, the following individuals and entities:

County Judge and County Commissioners
Fire Chiefs
Sabine County Sheriff
TCEQ
State Disaster District/Department of Public Safety
Major Water Users
Sabine River Authority operator of the Willow Oak Park
Texas Parks and Wildlife
US Forest Service

Stage 1 Response -- MILD Water Shortage Conditions

Goal: Achieve a voluntary 10 percent reduction in total water usage.

Supply Management Measures:

South Sabine WSC will limit water usage by reduced flushing and fire training use.

Voluntary Water Use Restrictions:

- a) Water customers are requested to voluntarily limit the irrigation of landscaped areas to Sundays and Thursdays for customers with a postal box or 911 address end in an even number, and Saturdays and Wednesdays for water customers with a postal box address ending in an odd number, and to irrigate landscapes only between the hours of midnight and 8:00 a.m. and 8:00 p.m. to midnight on designated watering days.
- b) All operations of the South Sabine WSC shall adhere to water use restrictions prescribed for Stage 2 of the Plan.
- c) Water customers are requested to practice water conservation and to minimize or discontinue water use for non-essential purposes.

Stage 2 Response -- MODERATE Water Shortage Conditions

Goal: Achieve a 15 percent reduction in total water use.

Supply Management Measures:

South Sabine WSC will reduce water demand by further reductions in flushing of mains.

Water Use Restrictions . Under threat of penalty for violation, the following water use restrictions shall apply to all persons:

- a) Irrigation of landscaped areas with hose-end sprinklers or automatic irrigation systems shall be limited to Sundays and Thursdays for customers with a postal box address ending in an even number (0, 2, 4, 6 or 8), and Saturdays and Wednesdays for water customers with a postal box address ending in an odd number (1, 3, 5, 7 or 9), and irrigation of landscaped areas is further limited to the hours of 12:00 midnight until 8:00 a.m. and between 8:00 p.m. and 12:00 midnight on designated watering days. However, irrigation of landscaped areas is permitted at anytime if it is by means of a hand-held hose, a faucet filled bucket or watering can of five (5) gallons or less, or drip irrigation system.
- b) Use of water to wash any motor vehicle, motorbike, boat, trailer, airplane or other vehicle is prohibited except on designated watering days between the hours of 12:00 midnight and 8:00 a.m. and between 8:00 p.m. and 12:00 midnight. Such washing, when allowed, shall be done with a hand-held bucket or a hand-held hose equipped with a positive shutoff nozzle for quick rises. Vehicle washing may be done at any time on the immediate premises of a commercial car wash or commercial service station. Further, such washing may be exempted from these regulations if the health, safety, and welfare of the public is contingent upon frequent vehicle cleansing, such as garbage trucks and vehicles used to transport food and perishables.
- c) Use of water to fill, refill, or add to any indoor or outdoor swimming pools, wading pools, or Jacuzzi-type pools is prohibited except on designated watering days between the hours of 12:00 midnight and 8:00 a.m. and between 8 p.m. and 12:00 midnight.
- d) Operation of any ornamental fountain or pond for aesthetic or scenic purposes is prohibited except where necessary to support aquatic life or where such fountains or ponds are equipped with a recirculation system.
- e) Use of water from hydrants shall be limited to fire fighting, related activities, or other activities necessary to maintain public health, safety, and welfare, except that use of water from designated fire hydrants for construction purposes may be allowed under special permit from the South Sabine WSC.
- f) All restaurants are prohibited from serving water to patrons except upon request of the patron.
- g) The following uses of water are defined as non-essential and are prohibited:
 1. wash down of any sidewalks, walkways, driveways, parking lots, tennis courts, or other hard-surfaced areas;

2. use of water to wash down buildings or structures for purposes other than immediate fire protection;
3. use of water for dust control;
4. flushing gutters or permitting water to run or accumulate in any gutter or street; and
5. failure to repair a controllable leak(s) within a reasonable period after having been given notice directing the repair of such leak(s).

Stage 3 Response – SEVERE Water Shortage Conditions

Goal: Achieve a 20 percent reduction in total water use.

Supply Management Measures:

South Sabine WSC will discontinue flushing of water mains. A program of leak reduction will be initiated with customers.

Water Use Restrictions. All requirements of Stage 2 shall remain in effect during Stage 3 except:

- a) Irrigation of landscaped areas shall be limited to designated watering days between the hours of 12:00 midnight and shall be by means of hand-held hoses, hand-held buckets, drip irrigation, or permanently installed automatic sprinkler system only. The use of hose-end sprinklers is prohibited at all times.
- b) The use of water for construction purposes from designated fire hydrants under special permit is to be discontinued.

Stage 4 Response – CRITICAL Water Shortage Conditions

Goal: Achieve a 30 percent reduction in total water use.

Supply Management Measures:

South Sabine WSC will discontinue flushing of water mains

Water Use Restrictions. All requirements of Stage 2 and 3 shall remain in effect during

Stage 4 except:

South Sabine WSC 807 Fairdale Rd. Hemphill, TX 75948 409-579-4185

- a) Irrigation of landscaped areas shall be limited to designated watering days between the hours of 6:00 a.m. and 8:00 a.m. and between 8:00 p.m. and 12:00 midnight and shall be by means of hand-held hoses, hand-held buckets, or drip irrigation only. The use of hose-end sprinklers or permanently installed automatic sprinkler systems are prohibited at all times.
- b) Use of water to wash any motor vehicle, motorbike, boat, trailer, airplane or other vehicle not occurring on the premises of a commercial car wash and commercial service stations and not in the immediate interest of public health, safety, and welfare is prohibited. Further, such vehicle washing at commercial car washes and commercial service stations shall occur only between the hours of 6:00 a.m. and 10:00 a.m. and between 6:00 p.m. and 10 p.m.
- c) The filling, refilling, or adding of water to swimming pools, wading pools, and Jacuzzi.-type pools is prohibited.
- d) Operation of any ornamental fountain or pond for aesthetic or scenic purposes is prohibited except where necessary to support aquatic life or where such fountains or ponds are equipped with a recirculation system.
- e) No application for new, additional, expanded, or increased-in-size water service connections, meters, service lines, pipeline extensions, mains, or water service facilities of any kind shall be approved, and time limits for approval of such applications are hereby suspended for such time as this drought response stage or a higher-numbered stage shall be in effect.

Stage 5 Response -- EMERGENCY Water Shortage Conditions

Goal: Achieve a 35 percent reduction in total water use.

Supply Management Measures:

South Sabine WSC will discontinue flushing of water mains

Water Use Restrictions. All requirements of Stage 2, 3, and 4 shall remain in effect during Stage 5 except:

- a) Irrigation of landscaped areas is absolutely prohibited.
- b) Use of water to wash any motor vehicle, motorbike, boat, trailer, airplane or other vehicle is absolutely prohibited.

Stage 6 Response -- WATER ALLOCATION

In the event that water shortage conditions threaten public health, safety, and welfare, the president of the South Sabine WSC or his/her designated official is hereby authorized to allocate water according to the following water allocation plan:

Single-Family Residential Customers

The allocation to residential water customers residing in a single-family dwelling shall be as follows:

Persons per Household	Gallons per Month
1 or 2	6,000
3 or 4	7,000
5 or 6	8,000
7 or 8	9,000
9 or 10	10,000
11 or more	12,000

“Household” means the residential premises served by the customer’s meter. “Persons per household” includes only those persons currently physically residing at the premises and expected to reside there for the entire billing period. It shall be assumed that a particular customer’s household is comprised of two (2) persons unless the customer notifies the South Sabine WSC of a greater number of persons per household on a form prescribed by the President. The President shall give his/her best effort to see that such forms are mailed, otherwise provided, or made available to every residential customer. If, however, a customer does not receive such a form, it shall be the customer’s responsibility to go to the South Sabine WSC offices to complete and sign the form claiming more than two (2) persons per household. New customers may claim more persons per household at the time of applying for water service on the form prescribed by the president. When the number of persons per household increases so as to place the customer in a different allocation category, the customer may notify the South Sabine WSC on such form and the change will be implemented in the next practicable billing period. If the number of persons in a household is reduced, the customer shall notify the South Sabine WSC in writing within two (2) days. In prescribing the method for claiming more than two (2) persons per household, the president shall adopt methods to insure the accuracy of the claim. Any person who knowingly, recklessly, or with criminal negligence falsely reports the number of persons in a household or fails to timely notify the South Sabine WSC of a reduction in the number of person in a household shall be fined not less than \$100.

Residential water customers shall pay the following surcharges:

- \$5 for the first 1,000 gallons over allocation.
- \$10 for the second 1,000 gallons over allocation.
- \$20 for the third 1,000 gallons over allocation.
- \$30 for each additional 1,000 gallons over allocation.

Surcharges shall be cumulative.

Master-Metered Multi-Family Residential Customers

The allocation to a customer billed from a master meter which jointly measures water to multiple permanent residential dwelling units (e.g., apartments, mobile homes) shall be allocated 6,000 gallons per month for each dwelling unit. It shall be assumed that such a customer's meter serves two dwelling units unless the customer notifies the South Sabine WSC of a greater number on a form prescribed by the president. The president shall give his/her best effort to see that such forms are mailed, otherwise provided, or made available to every such customer. If, however, a customer does not receive such a form, it shall be the customer's responsibility to go to the South Sabine WSC offices to complete and sign the form claiming more than two (2) dwellings. A dwelling unit may be claimed under this provision whether it is occupied or not. New customers may claim more dwelling units at the time of applying for water service on the form prescribed by the president. If the number of dwelling units served by a master meter is reduced, the customer shall notify the South Sabine WSC in writing within two (2) days. In prescribing the method for claiming more than two (2) dwelling units, the president shall adopt methods to insure the accuracy of the claim. Any person who knowingly, recklessly, or with criminal negligence falsely reports the number of dwelling units served by a master meter or fails to timely notify the South Sabine WSC of a reduction in the number of person in a household shall be fined not less than \$200. Customers billed from a master meter under this provision shall pay the following monthly surcharges:

\$5 for 1,000 gallons over allocation up through 1,000 gallons for each dwelling unit.

\$10 thereafter, for each additional 1,000 gallons over allocation up through a second 1,000 gallons for each dwelling unit.

\$20 thereafter, for each additional 1,000 gallons over allocation up through a third 1,000 gallons for each dwelling unit.

\$30 thereafter for each additional 1,000 gallons over allocation.

Surcharges shall be cumulative.

Commercial Customers

A monthly water allocation shall be established by the president or his/her designee, for each nonresidential commercial customer other than an industrial customer who uses water for processing purposes. The non-residential customer's allocation shall be approximately 75 percent of the customer's usage for corresponding month's billing period for the previous 12 months. If the customer's billing history is shorter than 12 months, the monthly average for the period for which there is a record shall be used for any monthly period for which no history exists. Provided, however, a customer, whose monthly usage is less than 10,000 gallons, shall be allocated 9,000 gallons. The president shall give his/her best effort to see that notice of each non-residential customer's allocation is mailed to such customer. If, however, a customer does not receive such notice, it shall be the customer's responsibility to contact the South Sabine WSC to

determine the allocation. Upon request of the customer or at the initiative of the president, the allocation may be reduced or increased if, (1) the designated period does not accurately reflect the customer's normal water usage, (2) one nonresidential customer agrees to transfer part of its allocation to another nonresidential customer, or (3) other objective evidence demonstrates that the designated allocation is inaccurate under present conditions. A customer may appeal an allocation established hereunder to the president or alternatively,. Nonresidential commercial customers shall pay the following surcharges:

Customers whose allocation is 10,000 gallons through 30,000 gallons per month:

- \$10 per thousand gallons for the first 1,000 gallons over allocation.
- \$15 per thousand gallons for the second 1,000 gallons over allocation.
- \$20 per thousand gallons for the third 1,000 gallons over allocation.
- \$40 per thousand gallons for each additional 1,000 gallons over allocation.

Customers whose allocation is 30,000 gallons per month or more:

- 5 times the block rate for each 1,000 gallons in excess of the allocation up through 5 percent above allocation.
- 10 times the block rate for each 1,000 gallons from 5 percent through 10 percent above allocation.
- 20 times the block rate for each 1,000 gallons from 10 percent through 15 percent above allocation.
- 30 times the block rate for each 1,000 gallons more than 15 percent above allocation.

The surcharges shall be cumulative. As used herein, "block rate" means the charge to the customer per 1,000 gallons at the regular water rate schedule at the level of the customer's allocation.

Industrial Customers

South Sabine WSC does not have Industrial customers. In the event an industrial customer applies for connection to the system an allocation will be developed in conjunction with the customer.

Section X: Enforcement

Enforcement of these rules is authorized by the Texas Water Laws.

- a) No person shall knowingly or intentionally allow the use of water from the South Sabine WSC for residential, commercial, industrial, agricultural, governmental, or any other purpose in a manner contrary to any provision of this Plan, or in an amount in excess of that permitted by the drought response stage in effect at the time pursuant to action taken by the president of the South Sabine WSC or his/her designee, in

accordance with provisions of this Plan.

- b) Any person who violates this Plan is guilty of a misdemeanor and, upon conviction shall be punished by a fine of not less than fifty dollars (\$50) and not more than two hundred dollars (\$200). Each day that one or more of the provisions in this Plan is violated shall constitute a separate offense. If a person is convicted of three or more distinct violations of this Plan, the president of the South Sabine WSC shall, upon due notice to the customer, be authorized to discontinue water service to the premises where such violations occur. Services discontinued under such circumstances shall be restored only upon payment of a re-connection charge, hereby established at \$100, and any other costs incurred by the South Sabine WSC in discontinuing service. In addition, suitable assurance must be given to the president that the same action shall not be repeated while the Plan is in effect. Compliance with this plan may also be sought through injunctive relief in the district court.
- c) Any person, including a person classified as a water customer of the South Sabine WSC in apparent control of the property where a violation occurs or originates shall be presumed to be the violator, and proof that the violation occurred on the person's property shall constitute a rebuttable presumption that the person in apparent control of the property committed the violation, but any such person shall have the right to show that he/she did not commit the violation. Parents shall be presumed to be responsible for violations of their minor children and proof that a violation, committed by a child, occurred on property within the parents' control shall constitute a rebuttable presumption that the parent committed the violation, but any such parent may be excused if he/she proves that he/she had previously directed the child not to use the water as it was used in violation of this Plan and that the parent could not have reasonably known of the violation.
- d) Any employee of the South Sabine WSC, sheriff deputy, or other county official designated by the president of the South Sabine WSC may issue a citation to a person he/she reasonably believes to be in violation of this plan. The citation shall be prepared in duplicate and shall contain the name and address of the alleged violator, if known, the offense charged, and shall direct him/her to appear in the municipal court on the date shown on the citation for which the date shall not be less than 3 days nor more than 5 days from the date the citation was issued. The alleged violator shall be served a copy of the citation. Service of the citation shall be complete upon delivery of the citation to the alleged violator, to an agent or employee of a violator, or to a person over 14 years of age who is a member of the violator's immediate family or is a resident of the violator's residence. The alleged violator shall appear in municipal court to enter a plea of guilty or not guilty for the violation of this Plan. If the alleged violator fails to appear in municipal court, a warrant for his/her arrest may be issued. A summons to appear may be issued in lieu of an arrest warrant. These cases shall be expedited and given preferential setting in municipal court before all other cases.

Section XI: Variances

The president of the South Sabine WSC or his/her designee, may, in writing, grant temporary variance for existing water uses otherwise prohibited under this Plan if it is determined that failure to grant such variance would cause an emergency condition adversely affecting the health, sanitation, or fire protection for the public or the person requesting such variance and if one or more of the following conditions are met:

- a) Compliance with this Plan cannot be technically accomplished during the duration of the water supply shortage or other condition for which the Plan is in effect.
- b) Alternative methods can be implemented which will achieve the same level of reduction in water use.

Persons requesting an exemption from the provisions of this Plan shall file a petition for variance with the South Sabine WSC within 5 days after the Plan or a particular drought response stage has been invoked. All petitions for variances shall be reviewed by the president of the South Sabine WSC or his/her designee, and shall include the following:

- a) Name and address of the petitioner(s).
- b) Purpose of water use.
- c) Specific provision(s) of the Plan from which the petitioner is requesting relief.
- d) Detailed statement as to how the specific provision of the Plan adversely affects the petitioner or what damage or harm will occur to the petitioner or others if petitioner complies with this Plan.
- e) Description of the relief requested.
- f) Period of time for which the variance is sought.
- g) Alternative water use restrictions or other measures the petitioner is taking or proposes to take to meet the intent of this Plan and the compliance date.
- h) Other pertinent information.

Variances granted by the South Sabine WSC shall be subject to the following conditions, unless waived or modified by the president of the South Sabine WSC or his/her designee:

- a) Variances granted shall include a timetable for compliance.
- b) Variances granted shall expire when the Plan is no longer in effect, unless the petitioner has failed to meet specified requirements.

No variance shall be retroactive or otherwise justify any violation of this Plan occurring prior to the issuance of the variance.